



EC TYPE EXAMINATION (MODULE B)

CERTIFICATE No. MED207018CS/002

This is to certify that RINA Services S.p.A. (Notified Body No. 0474) did undertake the relevant type approval procedures for the equipment identified below, which was found to be in compliance with the Fire Protection requirements of Marine Equipment Directive (MED) 2014/90/EU, including the requirements and testing standards of Regulation (EU) 2018/773.

<i>MED Item N°</i>	MED/3.11b
<i>USCG Category N°</i>	164.110
<i>Description</i>	'A' and 'B' Class divisions fire integrity: (b) 'B' Class divisions
<i>Type</i>	AT512 - B15 CEILING PANEL WITH ACCESSORIES
<i>Applicant</i>	ATENA SPA VIA ALCIDE DE GASPERI 52 30020 Gruaro (VE) ITALY
<i>Testing standards</i>	IMO Res. MSC.307(88)-(2010 FTP Code)
<i>Reference standards</i>	Chap. II-2 of SOLAS 74 Convention, as amended, RINA Rules for the certification of Marine Equipment

Issued in Genoa on
July 2, 2018

This Certificate is valid until
July 1, 2023

This Certificate consists of this sheet plus an attachment

Enrico Cabella
RINA Services S.p.A.

This document is a copy of a digitally signed file available on Rina Web Site: <http://www.rina.org>



**ATTACHMENT TO
CERTIFICATE No. MED207018CS/002**

Page 1 of 2

Manufacturer
ATENA SPA

Place of Manufacturer
VIA ALCIDE DE GASPERI 52
30020 Gruaro (VE)
ITALY

Product description

Ceiling composed of panels having maximum width of 512 mm certified by RINA on B-15 Class with certificate No. MED093815CS/001 dated 31 March 2015. The ceiling may be fitted with steel boxes composed of a steel sheet, 0.7 mm thick, and covered all around with a mineral wool layer fitted on one side with glass web named Paroc Marine Fire Slab 100 G1, 50 mm thick and having density of 100 kg/m³. The boxes, having internal dimensions of 150 x 150 mm and 200 x 200 mm and height respectively of 100 mm and 80 mm, are fixed to the ceiling steel sheet by means of 300 g/m² of glue named FIRST.

Field of application

Fire resisting B-15 Class ceiling with accessories.

Reference documents


Gerolamo Scorza SpA drawing No. 9028 dated 5 May 2008 approved on 22 May 2008 with endorsement No. LABS-139.

Tests carried out

Tests as per RINA Test Laboratory report No. 2008CS012636 issued on 22 May 2008 according to Resolution IMO A.754(18).

This document is a copy of a digitally signed file available on Rina Web Site: <http://www.rina.org>

The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production control phase module (D, E or F) of Annex II of the Directive is fully complied with a written inspection agreement with a Notified Body



XXXX/YYYY

"WHEELMARK FORMAT"

XXXX *Notified Body number undertaking surveillance module*

YY *Last two digits of year mark affixed*

USCG Approval

This product has been assigned a U.S. Coast Guard module B number (*USCG number: 164.110/EC0474*) to note type approval to Module B only as it pertains to obtaining U.S. Coast Guard approval as allowed by the "Agreement between the European Community and the United States of America on Mutual Recognition of Certificates of Conformity for Marine Equipment" signed February 27th, 2004.

The manufacturer is allowed to affix the U.S. Coast Guard approval number to the above equipment subject to the authorization of the Notified Body undertaking the surveillance module.

General conditions for the approval

- a) The initial conditions verified by RINA at the time of the approval are to be maintained
- b) Any changes to the initial conditions are to be promptly communicated to RINA, which reserves the right to repeat the relevant assessment
- c) This certificate will no be valid if the manufacturer makes any changes or modifications to the approved equipment, which have not been notified to, and agreed with RINA
- d) RINA personnel are to be allowed to witness during the performances of activities, upon their request
- e) The activities are to be carried out in compliance with the RINA Rules and/or other applicable Rules
- f) Should the specified regulations or standards be amended during the validity of this certificate, the product is to be reapproved prior to it being placed on board vessels to which the amended regulations or standards apply.



Enrico Cabella

This document is a copy of a digitally signed file available on Rina Web Site: <http://www.rina.org>